




Shandong Weisen Bearing Co., Ltd



140 mm x 300 mm x 62 mm KOYO 6328 Single-row deep groove ball bearings

Bearing No. 6328

6328 Bearing 2D drawings and 3D CAD models

Size	140x300x62 mm
Bore Diameter	140 mm
Outer Diameter	300 mm
Width	62 mm
d	140 mm
D	300 mm
B	62 mm
C	62 mm
r min.	4 mm
da min.	156 mm
Da max.	284 mm
ra max.	3 mm
Weight	19,4 Kg
Basic dynamic load rating (C)	253 kN
Basic static load rating (C0)	246 kN
(Grease) Lubrication Speed	2100 r/min
(Oil) Lubrication Speed	2500 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	18.461
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0



Shandong Weisen Bearing Co., Ltd

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	140MM Bore; 300MM Outside Diameter; 62MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	6328
Weight / LBS	42.77
Outside Diameter	11.811 Inch 300 Millimeter
Outer Race Width	2.441 Inch 62 Millimeter
Bore	5.512 Inch 140 Millimeter
Bearing No.	6328
r(min)	4
Cr	316
C0r	246
Cu	15.6
f0	13.6
Grease lub.	2100
Oil lub.	2500



Shandong Weisen Bearing Co., Ltd

da(min)	156
Da(max)	284
ra(max)	3
(Refer.)Mass(kg)	19.4